# *American Journal of* ORTHODONTICS

*Official publication of the American Association of Orthodontists, its constituent societies, and the American Board of Orthodontics*



## *Editors*

**Wayne G. Watson, D.D.S.**
*Editor-in-Chief*
Mailing address: Post Office Box 1886, La Jolla, California 92038
Street address: 7736 Fay Ave., Suite 103, La Jolla, California 92037
Telephone: (619)459-1749

**Earl E. Shepard, D.D.S.**
*Business Editor*
225 South Meramec Avenue, St. Louis, Missouri 63105

**T. M. Graber, D.M.D., Ph.D.**
*Editor of Reviews and Abstracts*
450 Green Bay Road, Kenilworth, Illinois 60043

**B. F. Dewel, D.D.S.**
*Editor Emeritus*
2007 Bennett Avenue, Evanston, Illinois 60201

**J. A. Salzmann, D.D.S.**
*Editor Emeritus of Reviews and Abstracts*
25 Sutton Place South, New York, New York 10022

*Editorial Coordinator*
**Penny Wilkes**



VOLUME 86
JULY-DECEMBER, 1984

VOLUME 86

COPYRIGHT © 1984 BY
THE C. V. MOSBY COMPANY

*All rights reserved*
*Printed in the United States of America*

# *Author index*


A

Arena, Steven A. (*See* Gianelly, Arena, and Bernstein), 269
Aronowitz, Harry I. (*See* Glassman et al.), 207
Årtun, Jon. Caries and periodontal reactions associated with long-term use of different types of bonded lingual retainers, 112

B

Baumrind, Sheldon, Korn, Edward L., and West, Eugene E. Prediction of mandibular rotation: An empirical test of clinician performance, 371
BeGole, Ellen A. (*See* Puneky, Sadowsky, and BeGole), 299
Bernstein, Leonard. (*See* Gianelly, Arena, and Bernstein), 269
Bishara, Samir E., and Stanley, Robert N. Mixed-dentition mandibular arch length analysis: A step-by-step approach using the revised Hixon-Oldfather prediction method, 130
Bjerklin, Krister. (*See* Kurol and Bjerklin), 483
Björk, Arne. (*See* Skieller, Björk, and Linde-Hansen), 359
Bowles, William H. (*See* Miller et al.), 342
Bowman, Douglas. (*See* Tabash et al.), 74
Boyd, R. L. Clinical assessment of injuries in orthodontic movement of impacted teeth. II. Surgical recommendations, 407
Brantley, William A. (*See* Sebanc et al.), 43
Bryant, R. M., Sadowsky, P. L., and Hazelrig, J. B. Variability in three morphologic features of the permanent maxillary central incisor, 25
Burstone, C. J. (*See* Koenig et al.), 391
Byrd, Kenneth E. Masticatory movements and EMG activity following electrolytic lesions of the trigeminal motor nucleus in growing guinea pigs, 146

C

Conant, R. J. (*See* Koenig et al.), 391
Conover, John P. (*See* Sebanc et al.), 43
Corruccini, Robert S. An epidemiologic transition in dental occlusion in world populations, 419

D

Dalston, Rodger M., and Vig, Peter S. Effects of orthognathic surgery on speech: A prospective study, 291
Dermaut, L. (*See* De Smit and Dermaut), 67
De Smit, A., and Dermaut, L. Soft-tissue profile preference, 67
Deutsch, Curtis. (*See* Farkas et al.), 52
Dilley, G. J. (*See* Kusy and Dilley), 177
Di Paolo, Rocco J., Philip, Chris, Maganzini, Anthony L., and Hirce, John D. The quadrilateral analysis: A differential diagnosis for surgical orthodontics, 470
Dressler, Keith B. (*See* Newman, Dressler, and Grenadier), 503
Droschl, H. (*See* Fotis et al.), 224

E

Ellis, Edward III, and McNamara, James A., Jr. Components of adult Class III open-bite malocclusion, 277

F

Farkas, Leslie G., Katic, M. J., Hreczko, Tania A., Deutsch, Curtis, and Munro, Ian R. Anthropometric proportions in the upper lip–lower lip–chin area of the lower face in young white adults, 52
Fotis, V., Melsen, B., Williams, S., and Droschl, H. Vertical control as an important ingredient in the treatment of severe sagittal discrepancies, 224
Freund, Vivien K. (*See* Takada, Lowe, and Freund), 331

G

Geiger, Arnold M. (*See* Gorelick, Geiger, and Gwinnett), 403
Gianelly, Anthony A., Arena, Steven A., and Bernstein, Leonard. A comparison of Class II treatment changes noted with the light wire, edgewise, and Fränkel appliances, 269
Gilmore, Charles A., and Little, Robert M. Mandibular incisor dimensions and crowding, 493
Glassman, Andrew S., Nahigian, Stephen J., Medway, Jerald M., and Aronowitz, Harry I. Conservative surgical orthodontic adult rapid palatal expansion: Sixteen cases, 207
Goldstein, Avrum R., and Schpero, Mark. Retained ligature wire and periodontal health, 315
Gorelick, Leonard, Geiger, Arnold M., and Gwinnett, A. John. Implications of the failure rates of bonded brackets and eyelets: A clinical study, 403



July, pp. 1-88; August, pp. 89-176; September, pp. 177-268; October, pp. 269-358; November, pp. 359-448; December, pp. 449-538.

Greer, Jim. (*See* Phillips et al.), 233
Grenadier, Mark R. (*See* Newman, Dressler, and Grenadier), 503
Greve, Ellen. (*See* Solow, Siersbaek-Nielsen, and Greve), 214
Gwinnett, A. John. (*See* Gorelick, Geiger, and Gwinnett), 403

H

Haberstock, D. (*See* Koenig et al.), 391
Hansen, Ken. (*See* Pancherz and Hansen), 427
Hazel, R. J., Rohan, G. J., and West, V. C. Force relaxation in orthodontic arch wires, 396
Hazelrig, J. B. (*See* Bryant, Sadowsky, and Hazelrig), 25
Hinton, Virginia A. (*See* Warren, Lehman, and Hinton), 197
Hirce, John D. (*See* Di Paolo et al.), 470
Hoke, Jim. (*See* Turvey et al.), 244
Hreczko, Tania A. (*See* Farkas et al.), 52

J

Jerrold, Laurance. Electrocautery in orthodontics, 189

K

Katic, M. J. (*See* Farkas et al.), 52
Klapper, Lewis. (*See* Tabash et al.), 74
Koenig, H. A., Burstone, C. J., Conant, R. J., and Haberstock, D. Analysis and design of multiple-beam appliances, 391
Korn, Edward L. (*See* Baumrind, Korn, and West), 371
Kurol, Jüri, and Bjerklin, Krister. Treatment of children with ectopic eruption of the maxillary first permanent molar by cervical traction, 483
Kusy, R. P., and Dilley, G. J. Elastic property ratios of a triple-stranded stainless steel arch wire, 177

L

Lang, Richard L. (*See* Tabash et al.), 74
Lehman, Malcolm D. (*See* Warren, Lehman, and Hinton), 197
Linde-Hansen, Torkild. (*See* Skieller, Björk, and Linde-Hansen), 359
Little, Robert M. (*See* Gilmore and Little), 493
Lokich, Vincent G., Nappen, Dennis L., and Shapiro, Peter A. Gingival contour and clinical crown length: Their effect on the esthetic appearance of maxillary anterior teeth, 89
Lowe, Alan A., and Takada, Kenji. Associations between anterior temporal, masseter, and orbicularis oris muscle activity and craniofacial morphology in children, 319
—. (*See* Takada, Lowe, and Freund), 331

M

McNamara, James A., Jr. A method of cephalometric evaluation, 449
—. (*See* Ellis and McNamara), 277
Maganzini, Anthony L. (*See* Di Paolo et al.), 470
Malhotra, Shyam K. (*See* Richardson, Malhotra, and Semenya), 119
Mamandras, Antonios H. Growth of lips in two dimensions: A serial cephalometric study, 61
Matteson, Steve. (*See* Phillips et al.), 233
Medway, Jerald M. (*See* Glassman et al.), 207
Melsen, B. (*See* Fotis et al.), 224
Miller, Arthur J. (*See* Vargervik and Miller), 33
Miller, Edward G., Thompson, Lorin R., Zimmermann, Eugene R., and Bowles, William H. In vivo studies on the carcinogenic potential of an orthodontic bonding resin, 342
Moriarty, John. (*See* Turvey et al.), 244
Mozsary, Peter G. (*See* Roberts et al.), 95
Munro, Ian R. (*See* Farkas et al.), 52

N

Nahigian, Stephen J. (*See* Glassman et al.), 207
Nappen, Dennis L. (*See* Kokich, Nappen, and Shapiro), 89
Newman, Sheldon M., Dressler, Keith B., and Grenadier, Mark R. Direct bonding of orthodontic brackets to esthetic restorative materials using a silane, 503

P

Pancherz, Hans, and Hansen, Ken. The nasion-sella reference line in cephalometry: A methodologic study, 427
Philip, Chris. (*See* Di Paolo, Philip, Maganzini, and Hirce), 470
Phillips, Ceib, Greer, Jim, Vig, Peter, and Matteson, Steve. Photocephalometry: Errors of projection and landmark location, 233
Pincsak, John J. (*See* Sebanc et al.), 43
Polson, Alan M. (*See* Sadowsky and Polson), 386
Poulton, Donald R. (*See* Zilberman and Poulton), 14
Puneky, Philip J., Sadowsky, Cyril, and BeGole, Ellen A. Tooth morphology and lower incisor alignment many years after orthodontic therapy, 299

R

Richardson, Elisha R., Malhotra, Shyam K., and Semenya, Kofi. Longitudinal study of three views of mandibular third molar eruption in males, 119
Roberts, W. Eugene, Smith, Ricky K., Zilberman, Yerucham, Mozsary, Peter G., and Smith, Robert S. Osseous adaptation to continuous loading of rigid endosseous implants, 95
Rohan, G. J. (*See* Hazel, Rohan, and West), 396

S

Sadowsky, Cyril, and Polson, Alan M. Temporomandibular disorders and functional occlusion after orthodontic treatment: Results of two long-term studies, 386
—. (*See* Puneky, Sadowsky, and BeGole), 299
Sadowsky, P. L. (*See* Bryant, Sadowsky, and Hazelrig), 25
Sandrik, James L. (*See* Tabash et al.), 74
Schpero, Mark. (*See* Goldstein and Schpero), 315
Sebanc, John, Brantley, William A., Pincsak, John J., and Conover, John P. Variability of effective root torque as a function of edge bevel on orthodontic arch wires, 43
Semenya, Kofi. (*See* Richardson, Malhotra, and Semenya), 119
Shapiro, Peter A. (*See* Kokich, Nappen, and Shapiro), 89
Siersbaek-Nielsen, Susanne. (*See* Solow, Siersbaek-Nielsen, and Greve), 214
Skieller, Vibeke, Björk, Arne, and Linde-Hansen, Torkild. Prediction of mandibular growth rotation evaluated from a longitudinal implant sample, 359
Smith, Ricky K. (*See* Roberts et al.), 95
Smith, Robert S. (*See* Roberts et al.), 95
Solow, Beni, Siersbaek-Nielsen, Susanne, and Greve, Ellen. Airway adequacy, head posture, and craniofacial morphology, 214
Spolyar, Jon L. The design, fabrication, and use of a full-coverage bonded rapid maxillary expansion appliance, 136
Stanley, Robert N. (*See* Bishara and Stanley), 130

T

Tabash, John W., Sandrik, James L., Bowman, Douglas, Lang, Richard L., and Klapper, Lewis. Force measurement and design of a torquing high-pull headgear, 74
Takada, Kenji, Lowe, Alan A., and Freund, Vivien K. Canonical correlations between masticatory muscle orientation and dentoskeletal morphology in children, 331
—. (*See* Lowe and Takada), 319
Thompson, Lorin R. (*See* Miller et al.), 342
Turvey, Timothy A., Vig, Katherine, Moriarty, John, and Hoke, Jim. Delayed bone grafting in the cleft maxilla and palate: A retrospective multidisciplinary analysis, 244

V

Vargervik, Karin, and Miller, Arthur J. Neuromuscular patterns in hemifacial microsomia, 33
Vig, Katherine. (*See* Turvey et al.), 244
Vig, Peter S. (*See* Dalston and Vig), 291
—. (*See* Phillips et al.), 233

W

Warren, Donald W. A quantitative technique for assessing nasal airway impairment, 306
—, Lehman, Malcolm D., and Hinton, Virginia A. Analysis of simulated upper airway breathing, 197
West, Eugene E. (*See* Baumrind, Korn, and West), 371
West, V. C. (*See* Hazel, Rohan, and West), 396
White, Larry. A new oral hygiene strategy, 507
Wieslander, Lennart. Intensive treatment of severe Class II malocclusions with a headgear-Herbst appliance in the early mixed dentition, 1
Williams, S. (*See* Fotis et al.), 224

Z

Zilberman, Zerucham, and Poulton, Donald R. Identical twins with bilateral and unilateral clefts: A 20-year study, 14
—. (*See* Roberts et al.), 95
Zimmermann, Eugene R. (*See* Miller et al), 342

## *Reviews and abstracts*

A

Albino, J., 445
Altuna, G., 84
Archer, S. Y., 446
Arnold, R. R., 262

B

Black, Cecelia, 440
Bowley, J., 81
Bowley, W., 84
Brightman, Vernon J., 441
Bross, Donald C., 440
Brunetto, A. R., 446
Burcal, R., 171
Burke, P. H., 350
Burstone, C. J., 352

C

Caffesse, R. G., 81
Caputo, A. A., 446
Castelli, W. A., 81
Caton, Jack, 443
Cederquist, R., 353
Chaconas, S. J., 445, 446
Chase, D., 171
Chauncey, H. H., 83
Christensen, L. V., 82
Clark, Glenn T., 169
Csernay, A., 520
Cunat, J., 445

D

Drew, D., 84

F

Falck, F., 262
Fall, Walter T., Jr., 443
Feeney, D., 82
Fields, H., 352
Flanary, C. M., 353
Forsythe, A., 172

G

Gale, E. N., 81, 352
Gallo, L., 445
Garner, L. D., 84
Goldstein, Ronald E., 441
Gotcher, J., 171
Graber, Georg, 520
Graber, T. M., 260
Green, L., 445
Greenberg, Martin S., 441

H

Hall, W. P., 260
Hansson, T., 172, 172, 172, 173, 173
Hata, S., 445
Helle, Arno, 170
Hinton, V. A., 83
Ho, T., 84
Hollender, Lars, 520
Holte, J., 82
House, L. R., 260
Humphreys, Brian, 169
Hurst, C. L., 353
Hylander, W., 352

I

Ingervall, B., 262
Itoh, T., 445

J

Johnston, G., 82

K

Kapur, K. K., 83
Koenig, H., 352
Koski, Kalevi, 170
Kudlick, E. M., 85
Kurol, Jüri, 442

L

Laskin, D., 171
Lavelle, C. L. B., 82
Lehman, M. D., 83
Leonard, M., 82
Lestrel, P. E., 83
Lubsen, C. C., 173
Lynch, Malcolm A., 441

M

McCoy, M., 171
Madone, G., 262
Manhold, John H., 440
Matingly, J. A., 262
Matsumoto, M., 445
Matyas, J., 446
Mejersjo, Christina, 520
Mongini, Franco, 170

Moray, L., 352
Moss, J. P., 350
Morgan, D. H., 260

N

Nasjleti, C. E., 81
Neumann, Bedrich, 260
Nordstrom, B., 172, 172, 172, 173, 173
Novak, John, 443
Nyman, Sture, 443

P

Petrovic, A. G., 444
Pfandler, U., 520
Pickersgill, C. A., 85
Pierce, C. J., 81, 352
Polson, Alan M., 443, 444
Polson, Anne, 443
Powell, Nelson, 169
Proffit, W. R., 351
Pullinger, A. G., 81

R

Ranta, Reijo, 170
Reed, B. E., 444
Reed, Brian, 443
Rinderer, L. A., 261
Ronning, Olli, 170
Rugh, J. D., 81, 353
Russell, D. M., 85

S

Sakaguchi, R., 82
Samawi, S. S. B., 350
Sanger, Roger G., 440
Sauer, G. J., 262
Schlomer, R., 521
Schmidt, R. A., 84
Schopf, P., 444
Sellers, K. L., 351
Sheets, J. Gary, 441
Shefter, Glenn J., 443
Smith, B. R., 353
Solberg, William K., 81, 169, 172, 172, 172, 173, 173
Sperry, T., 171

T

Tedesco, L., 445
Tulensalo, Tuuli, 170

V

Vamvas, S. J., 260
van der Linden, Frans P. G. M., 260
Vig, K., 352
Vig, P. S., 446

W

Wallin, Kent J., 441
Warren, D. W., 83
Weinstein, S., 84
Wilmot, D. R., 350
Woodside, D., 84

X

Xu, Y., 81

Y

Yancy, J. M., 262
York, Timothy R., 173

Z

Zaharkin, J., 81

# *Subject index*


A

Activator, Herren, stability of result and function of jaw system after distal bite treatment with, 262 (Abst.)
Adult Class III open-bite malocclusion, components of (Ellis and McNamara), 277
Ages, skeletal and dental, significance of, for choice of jaw-orthopedic therapy appliances, 444 (Abst.)
Airway adequacy, head posture, and craniofacial morphology (Solow, Siersbaek-Nielsen, and Greve), 214
  nasal, impairment, quantitative technique for assessing (Warren), 306
    resistance, effect of Le Fort I maxillary impaction on, 439 (Letter to editor)
  nasopharyngeal, size, morphology, and position in monozygotic twins, 84 (Abst.)
  upper, breathing, analog study of, 83 (Abst.)
    analysis of simulated (Warren, Lehman, and Hinton), 197
Alloys, orthodontic; variability of effective root torque as function of edge bevel of (Sebanc et al.), 43
American Association of Orthodontists, Albert H. Ketcham Memorial Award, 354
  awards, 356
  Distinguished Service Award, 354
  meeting calendar, 87, 175, 267, 357, 447, 525
  officers and organizations, directory, 88, 176, 268, 358, 448, 526
    for 1984-1985, 354
  overview of 1984 annual session, 175
AAO research awards, 355
    information for, 264
  prizes for 1985, 264
American Board of Orthodontics, 516
  applications now being accepted, 447
  College of Diplomates of, 267
  eligibility for Phase III of, 516
    new concept, 266, 356
  materials for creating Board presentations, 516
American Dental Association guide for future of dentistry, 79 (Guest editorial)
AMERICAN JOURNAL OF ORTHODONTICS, consultants 1984, 522
  editor search deadline, 87
Analysis, cephalometric, method of (McNamara), 449
  quadrilateral (Di Paolo et al.), 470
Anthropometric proportions in upper lip—lower lip—chin area of lower face in young white adults (Farkas et al.), 52
Appliances, jaw-orthopedic therapy, significance of skeletal and dental ages for choice of, 444 (Abst.)
  lingual orthodontic, force transmission characteristics of, 446 (Abst.)
  multiple-beam, analysis and design of (Koenig et al.), 391
  orthodontic, direct bonded, colonization of *Streptococcus mutans* by, 262 (Abst.)
  rapid maxillary expansion, design, fabrication, and use of full-coverage bonded (Spolyar), 136
  removable orthodontic, 260 (B. rev.)
Arch length, mandibular, mixed-dentition analysis: step-by-step approach using revised Hixon-Oldfather prediction method (Bishara and Staley), 130
  wire orthodontic, changes, effects of, on masseter muscle activity, 353 (Abst.)
    force relaxation in (Hazel, Rohan, and West), 396
    variability of effective root torque as function of edge bevel of (Sebanc et al.), 43
  triple-stranded stainless steel, elastic property ratios of (Kusy and Dilley) 177
Arthromodulography, acoustic—analysis of TMJ function, 82 (Abst.)

B

Bite force, maximum, values of children in different age groups, 170 (Abst.)
Bonded brackets and eyelets, implications of failure rates of (Gorelick, Geiger, and Gwinnett), 403
Bonding, direct, of orthodontic brackets to esthetic restorative materials using silane (Newman, Dressler, and Grenadier), 503
  failures; implications of failure rates of bonded brackets and eyelets (Gorelick, Geiger, and Gwinnett), 403
  resin, orthodontic, in vivo studies on carcinogenic potential of (Miller et al.), 342



July, pp. 1-88; August, pp. 89-176; September, pp. 177-268; October, pp. 269-358; November, pp. 359-448; December, pp. 449-538.

Bone, crestal alveolar, levels, long-term effects of orthodontic treatment on, 444 (Abst.)
grafting, delayed, in cleft maxilla and palate (Turvey et al.), 244
osseous adaptation to continuous loading of rigid endosseous implants (Roberts et al.), 95
Brackets and eyelets, bonded, implications of failure rates of (Gorelick, Geiger, and Gwinnett), 403
orthodontic, direct bonding of, to esthetic restorative materials using silane (Newman, Dressler, and Grenadier), 503
Breathing, nasal; quantitative technique for assessing nasal airway impairment (Warren), 306
simulated upper airway, analysis of (Warren, Lehman, and Hinton), 197
upper airway, analog study of, 83 (Abst.)
Bruxing activity, nocturnal, reliability and validity of instrumentation to record, 81 (Abst.)
Bruxism; psychometric evaluation of bruxers, 352 (Abst.)

C

Canine eruption; delayed bone grafting in cleft maxilla and palate (Turvey et al.), 244
maxillary, impactions, etiology of, 437 (Letter to editor)
Canonical correlations; associations between anterior temporal, masseter, and orbicularis oris muscle activity and craniofacial morphology in children (Lowe and Takada), 319
between masticatory muscle orientation and dentoskeletal morphology in children (Takada, Lowe, and Freund), 331
Carcinogenic potential of orthodontic bonding resin, in vivo studies on (Miller et al.), 342
Caries and periodontal reactions associated with long-term use of different types of bonded lingual retainers (Årtun), 112
Cephalometric evaluation, method of (McNamara), 449
Cephalometry, nasion-sella reference line in (Pancherz and Hansen), 417
Cervical traction, treatment of children with ectopic eruption of maxillary first permanent molar by (Kurol and Bjerklin), 483
Child abuse and neglect, clinical management of, 440 (B. rev.)
Chin, importance in profile; anthropometric proportions in upper lip—lower lip—chin area of lower face in young white adults (Farkas et al.), 52
Class II treatment changes noted with light wire, edgewise, and Fränkel appliances, comparison of (Gianelly, Arena, and Bernstein), 269
Clefts, bilateral and unilateral, in identical twins (Zilberman and Poulton), 14
maxilla and palate, delayed bone grafting in (Turvey et al.), 244
College of Diplomates of American Board of Orthodontics, 267
Condylar form analysis, quantitative method for 83, 172 (Abst.)
Condyles, human mandibular, histomorphometric analysis of, 173 (Abst.)
neck periostomy and mitotic activity in condylar tissues of young rats, 170 (Abst.)
Craniofacial complex, biomechanical effects of maxillary protraction on, 445 (Abst.)
morphology, airway adequacy, head posture, and (Solow, Siersback-Nielsen, and Greve), 214
in children, associations between anterior temporal, masseter, and orbicularis oris muscle activity and (Lowe and Takada), 319
shape, study of, 82 (Abst.)
Crown length, clinical, gingival contour and: Their effect on esthetic appearance of maxillary anterior teeth (Kokich, Nappen, and Shapiro), 89

D

Dental management, practical, 440 (B. rev.)
occlusion, epidemiologic transition in, in world populations (Corruccini), 519
practice; values and behavior, 347 (Editorial)
Dentistry, ADA guide for future of, 79 (Guest editorial)
Dentition, deciduous, influence of thumb sucking and pacifier use on, 521 (Abst.)
development of, 261 (B. rev.)
mixed, intensive treatment of severe Class II malocclusions with headgear-Herbst appliance in early (Wieslander), 1
Dentoskeletal morphology in children, canonical correlations between masticatory muscle orientation and (Takada, Lowe, and Freund), 331
Devlin, Gerard A., Award, 356
Diagnosis, differential, for surgical orthodontics; quadrilateral analysis (Di Paolo et al.), 470
Disassociation in rectangular loop, 352 (Abst.)
Disc perforation during erosion and repair in TMJ osteoarthrosis, 85 (Abst.)
Dynamic extraoral force analyzer; force measurement and design of torquing high-pull headgear (Tabash et al.), 74

E

Edgewise, light wire, and Fränkel appliances, comparison of Class II treatment changes noted with (Gianelly, Arena, and Bernstein), 269
Editorial, values and behavior, 347
guest, an ADA guide for the future of dentistry, 79
occupational health hazards in the orthodontic office, 518
orthodontic research: The integration of clinical research results into clinical practice, 162
orthodontic specialty education, 435
"the old gray mare. . . " 257
Education, orthodontic specialty, 435 (Guest editorial)
Elastic property ratios of triple-stranded stainless steel arch wire (Kusy and Dilley), 177
Electrocautery in orthodontics (Jerrold), 189
Electromyographic activity, masticatory movements and, following electrolytic lesions of trigeminal motor nucleus in grown guinea pigs (Byrd), 146
Epidemiologic transition in dental occlusion in world populations (Corruccini), 419
Eruption, ectopic, of maxillary first permanent molar, treatment of children with, by cervical traction (Kurol and Bjerklin), 483
mandibular third molar, in males, longitudinal study of three views of (Richardson, Malhotra, and Semenya), 119
of rabbit incisor, effect of intermittent forces on, 351 (Abst.)

F

Face, aesthetic, proportions of, 169 (B. rev.)
height; soft-tissue profile preference (De Smit and Dermaut), 67
lower, anthropometric proportions in upper lip—lower lip—chin area of, in young white adults (Farkas et al.), 52
Facial esthetics and golden section analysis, correlation of subjective ranking of, 173 (Abst.)
growth; vertical control as important ingredient in treatment of severe sagittal discrepancies (Fotis et al.), 224
patterns, balanced; quadrilateral analysis (Di Paolo et al.), 470
type, skeletal type, and Angle classification occlusion in families, 86 (Abst.)
Financial and tax planning, comprehensive, for high-income professionals, 441 (B. rev.)
Fistulas; delayed bone grafting in cleft maxilla and palate (Turvey et al.), 244
Forces, intermittent, effect of, on eruption of rabbit incisor, 351 (Abst.)
measurement and design of torquing high-pull headgear (Tabash et al.), 74
relaxation in orthodontic arch wires (Hazel, Rohan, and West), 396
transmission characteristics of lingual orthodontic appliances, 446 (Abst.)
vertical, transducer for measuring, at occlusal level, 352 (Abst.)

Foreign body; retained ligature wire and periodontal health (Goldstein and Schpero), 315
Fränkel, light wire, and edgewise appliances, comparison of Class II treatment changes noted with (Gianelly, Arena, and Bernstein), 269

G

Gingival contour and clinical crown length: Their effect on esthetic appearance of maxillary anterior teeth (Kokich, Nappen, and Shapiro), 89
Golden section analysis, correlation of subjective ranking of facial esthetics and, 173 (Abst.)
Grafting, bone, delayed, in cleft maxilla and palate (Turvey et al.), 244
Growth, facial; vertical control as important ingredient in treatment of severe sagittal discrepancies (Fotis et al.), 224
  mandibular, rotation, prediction of, evaluated from longitudinal implant sample (Skieller, Björk, and Linde-Hansen), 359
  of lips in two dimensions (Mamandras), 61
  prediction; prediction of mandibular rotation (Baumrind, Korn, and West), 371

H

Head posture, airway adequacy, and craniofacial morphology (Solow, Siersback-Nielsen, and Greve), 214
Headgear; analysis and design of multiple-beam appliances (Koenig et al.), 391
  Herbst appliance, intensive treatment of severe Class II malocclusions with, in early mixed dentition (Wieslander), 1
  torquing high-pull, force measurement and design of (Tabash et al.), 74
Health care problems, potential, of personnel in orthodontic office from patient contact and environmental hazards, 523
  hazards, occupational, in orthodontic office, 518 (Guest editorial)
Herren activator, stability of result and function of jaw system after distal bite treatment with, 262 (Abst.)
Hixon-Oldfather prediction method, revised; mixed-dentition mandibular arch length analysis (Bishara and Staley), 130
Hygiene, oral, new strategy (White), 507

I

Impaction, Le Fort I maxillary, effect of, on nasal airway resistance, 439 (Letter to editor),
  maxillary canine, etiology of, 437 (Letter to editor)
Implants, metallic; prediction of mandibular growth rotation evaluated from longitudinal implant sample (Skieller, Björk, and Linde-Hansen), 359
  rigid endosseous, osseous adaptation to continuous loading of (Roberts et al.), 95
In memoriam, Jagdish K. Bambha, 258
    David W. Bishop, 166
    Carl G. Gangitano, 166
    Edward Charles Hissett, 166
    Edward Carlisle King, 258
    George H. King, *Jr.*, 167
    Herbert I. Margolis, 167
    Kenneth K. Shephard, 259
Incisors, avulsed, congenitally missing, fractured; gingival contour and clinical crown length: effect on esthetic appearance of maxillary anterior teeth (Kokich, Nappen, and Shapiro), 89
  lower, alignment, tooth morphology and, many years after orthodontic therapy (Puncky, Sadowsky, and BeGole), 299
  mandibular, dimensions and crowding (Gilmore and Little), 493
  permanent maxillary central, variability in three morphologic features of (Bryant, Sadowsky, and Hazelrig), 25
Infraocclusion of primary molars, 442 (Abst.)
Injuries in orthodontic movement of impacted teeth, clinical assessment of (Boyd), 407
Integrity versus deception, 165 (Letter to editor)

J

Jarabak, Louise Ada, Memorial International Teachers and Research Award, 265
Jaw mechanics, abnormal—diagnosis and treatment, 169 (B. rev.)
  orthopedics and orthodontics, purpose, meaning, and validity of experimental investigation in realm of, 444 (Abst.)

L

Landmark location; photocephalometry (Phillips et al.), 233
Le Fort I maxillary impaction, effect of, on nasal airway resistance, 439 (Letter to editor),
Letters to editor, 165, 437
Ligature wire, retained, and periodontal health (Goldstein and Schpero), 315
Light wire, edgewise, and Fränkel appliances, comparison of Class II treatment changes noted with (Gianelly, Arena, and Bernstein), 269
Lips, growth of, in two dimensions (Mamandras), 61
  importance in profile; anthropometric proportions in upper lip—lower lip—chin area of lower face in young white adults (Farkas et al.), 52
  stiffness, comparison of, between white and black adults, 84 (Abst.)
Loop, rectangular, disassociation in, 352 (Abst.)

M

Malocclusion, Classes I, II, and III, posture and intraoral pressures comparing, 446 (Abst.)
  Class II, intensive treatment of severe, with headgear-Herbst appliance in early mixed dentition (Wieslander), 1
    Division 1, maxillomandibular relationships of black Americans with, 85 (Abst.)
  Class III open-bite, adult, components of (Ellis and McNamara), 277
Mandible, adaptation of, to functional alterations, 84 (Abst.)
  relationship between rotational pattern of, and position of first permanent maxillary molars, 262 (Abst.)
Mandibular adaptation, long-term, following experimental maxillary orthopedics, 353 (Abst.)
  advancement, adaptations within suprahyoid muscle complex after, 85 (Abst.)
  arch length, mixed-dentition analysis; step-by-step approach using revised Hixon-Oldfather prediction method (Bishara and Staley), 130
  condyles, human, histomorphometric analysis of, 173 (Abst.)
  dysfunction; temporomandibular disorders and functional occlusion after (Sadowsky and Polson), 386
  growth rotation, prediction of, evaluated from longitudinal implant sample (Skieller, Björk, and Linde-Hansen), 359
  malformations; neuromuscular patterns in hemifacial microsomia (Vargervik and Miller), 33
  prognathism, cephalometric and electromyographic investigation of patients treated for correction of, by mandibular surgery only, 350 (Abst.)
  rotation, prediction of (Baumrind, Korn, and West), 86 (Abst.), 371
Masseter, anterior temporal, and orbicularis oris muscle activity, associations between, and craniofacial morphology in children (Lowe and Takada), 319
  muscle, human, effects of topical cooling on isometric activity of, 82 (Abst.)
    activity, effects of orthodontic archwire changes on, 353 (Abst.)
Masticatory disorders, relationship of occlusal stability to, 81 (Abst.)
  movements and EMG activity following electrolytic lesions of trigeminal motor nucleus in growing guinea pigs (Byrd), 146

Masticatory disorders—Cont'd
muscle orientation and dentoskeletal morphology in children, canonical correlations between (Takada, Lowe, and Freund), 331
Maxilla and palate, cleft, delayed bone grafting in (Turvey et al.), 244
Maxillary expansion, rapid, design, fabrication, and use of full-coverage bonded appliance (Spolyar), 136
protraction, biomechanical effects of, on craniofacial complex, 445 (Abst.)
Maxillo-mandibular relationships of black Americans with Class II, Division 1 malocclusions, 85 (Abst.)
Microsoonia, hemifacial, neuromuscular patterns in (Vargervik and Miller), 33
treatment of, 169 (B. rev.)
Midwestern Society of Orthodontists, 266
Molars, first permanent maxillary, relationship between rotational pattern of mandible and position of, 262 (Abst.)
mandibular third, eruption in males, longitudinal study of three views of (Richardson, Malhotra, and Semenya), 119
maxillary first permanent, treatment of children with ectopic eruption of, by cervical traction (Kurol and Bjerklin), 483
primary, infraocclusion of, 442 (Abst.)
second deciduous, undermining resorption of, during eruption of first permanent molar, 261 (Abst.)
Morphologic features of permanent maxillary central incisor, variability in three (Bryant, Sadowsky, and Hazelrig), 25
Morphology, craniofacial, airway adequacy, head posture, and (Solow, Siersback-Nielsen, and Greve), 214
in children, associations between anterior temporal, masseter, and orbicularis oris muscle activity and (Lowe and Takada), 319
dentoskeletal, canonical correlations between masticatory muscle orientation and, in children (Takada, Lowe, and Freund), 331
facial; soft-tissue profile preference (De Smit and Dermaut), 67
tooth, and lower incisor alignment many years after orthodontic therapy (Puneky, Sadowsky, and BeGole), 299
Multiple-beam appliances, analysis and design of (Koenig et al.), 391
Muscle activity, anterior temporal, masseter, and orbicularis oris, associations between, and craniofacial morphology in children (Lowe and Takada), 319
masseter, activity, effects of orthodontic archwire changes on, 353 (Abst.)
masticatory, orientation and dentoskeletal morphology in children, canonical correlations between (Takada, Lowe, and Freund), 331

N

Nasal airway; analysis of simulated upper airway breathing (Warren, Lehman, and Hinton), 197
impairment, quantitative technique for assessing (Warren), 306
resistance, effect of Le Fort I maxillary impaction on, 439 (Letter to editor)
resistance; effects of orthognathic surgery on speech (Dalston and Vig), 291
Nasion-sella reference line in cephalometry (Pancherz and Hansen), 417
Nasopharyngeal airway size, morphology, and position in monozygotic twins, 84 (Abst.)
Neuromuscular patterns in hemifacial microsomia (Vargervik and Miller), 33
New Jersey Association of Orthodontists, 356
News and comment, 87, 175, 264, 354, 447, 522
Northwestern University Distinguished Alumnus Award, 447

O

Occlusal relations and periodontal status in human adults, 443 (Abst.)
stability, relationship to masticatory disorders), 81 (Abst.)
Occlusion, Angle classification, facial type, skeletal type, and, in families, 86 (Abst.)
dental, epidemiologic transition in, in world populations (Corruccini), 519
functional, temporomandibular disorders and, after orthodontic treatment (Sadowsky and Polson), 386
Occupational health hazards in orthodontic office, 518 (Guest editorial)
Open-bite malocclusion, adult Class III, components of (Ellis and McNamara), 277
Oral hygiene strategy, new (White), 507
medicine, Burket's, 441 (B. rev.)
Orbicularis oris, anterior temporal, and masseter muscle activity, associations between, and craniofacial morphology in children (Lowe and Takada), 319
Orthodontic appliances, direct bonded, colonization of *Streptococcus mutans* by, 262 (Abst.)
lingual, force transmission characteristics of, 446 (Abst.)
removable, 260 (B. rev.)
arch wires, force relaxation in (Hazel, Rohan, and West), 396
bonding resin, in vivo studies on carcinogenic potential of (Miller et al.), 342
brackets, direct bonding of, to esthetic restorative materials using silane (Newman, Dressler, and Grenadier), 503
movement of impacted teeth, clinical assessment of injuries in (Boyd), 407
office, occupational health hazards in, 518 (Guest editorial)
potential health care problems of personnel in, from patient contact and environmental hazards, 523
patients, social-demographic differences and perceptions of lingual and conventional, 445 (Abst.)
specialty education, 435 (Guest editorial)
therapy, tooth morphology and lower incisor alignment many years after (Puneky, Sadowsky, and BeGole), 299
treatment, long-term effect of, on crestal alveolar bone levels, 444 (Abst.)
temporomandibular disorders and functional occlusion after (Sadowsky and Polson), 386
Orthodontics, electrocautery in (Jerrold), 189
jaw orthopedics and, purpose, meaning, and validity of experimental investigation in realm of, 444 (Abst.)
surgical, differential diagnosis for; quadrilateral analysis (Di Paolo et al), 470
Orthognathic surgery, effects of, on speech (Dalston and Vig), 291
recognition of profile change after, 171 (Abst.)
Orthopantomogram, distortion in, 350 (Abst.)
Orthopedics, experimental maxillary, long-term mandibular adaptation following, 353
interceptive; intensive treatment of severe Class II malocclusions with headgear-Herbst appliance in early mixed dentition (Wieslander), 1
Osteoarthrosis, TMJ, disc perforation during erosion and repair in, 85 (Abst.)
Osteotomy; conservative surgical orthodontic adult rapid palatal expansion (Glassman et al.), 207

P

Pacific Coast constituent to meet in Hawaii, 265
Pacific Coast Society of Orthodontists, 524
Pacifier use, influence of thumb sucking and, on deciduous dentition, 521 (Abst.)
Pain threshold; new oral hygiene strategy (White), 507
Palatal expansion, rapid, conservative surgical orthodontic, in adults (Glassman et al.), 207

Palate, cleft maxilla and, delayed bone grafting in (Turvey et al.), 244
Periodontal reactions and caries associated with long-term use of different types of bonded lingual retainers (Årtun), 112
response after tooth movement into intrabony defects, 443 (Abst.)
status, occlusal relations and, in human adults, 443 (Abst.)
Periostomy, condyle neck, and mitotic activity in condylar tissues of young rats, 170 (Abst.)
Photocephalometry: errors of projection and landmark location (Phillips et al.), 233
Plaque; new oral hygiene strategy (White), 507
Porcelain; direct bonding of orthodontic brackets to esthetic restorative materials using silane (Newman, Dressler, and Grenadier), 503
Posture and intraoral pressures comparing Classes I, II, and III, 446 (Abst.)
Practice announcements, 267, 356, 524
Prediction of mandibular growth rotation evaluated from longitudinal implant sample (Skieller, Björk, and Linde-Hansen), 359
rotation: empirical test of clinician performance (Baumrind, Korn, and West), 371
revised Hixon-Oldfather method; mixed-dentition mandibular arch length analysis (Bishara and Staley), 130
Premaxilla, surgical repositioning of; identical twins with bilateral and unilateral clefts (Zilberman and Poulton), 14
Profile change after orthognathic surgery, recognition of, 171 (Abst.)
soft-tissue, preference (De Smit and Dermaut), 67
Psycho-emotional influence on function of stomatognathic system, 620 (Abst.)
Psychometric evaluation of bruxers, 352 (Abst.)

Q

Quadrilateral analysis (Di Paolo et al.), 470

R

Rapid maxillary expansion appliance, design, fabrication, and use of full-coverage bonded (Spolyar), 136
palatal expansion, conservative surgical orthodontic, in adults (Glassman et al.), 207
Research, orthodontic: integration of clinical research results into clinical practice, 162 (Guest editorial)
Resin, orthodontic bonding, in vivo studies on carcinogenic potential of (Miller et al.), 342
Resorption, undermining, of second deciduous molar during eruption of first permanent molar, 261 (Abst.)
Restorative materials, esthetic, direct bonding of orthodontic brackets to, using silane (Newman, Dressler, and Grenadier), 503
Retained ligature wire and periodontal health (Goldstein and Shpero), 315
Retainers, bonded lingual, caries and periodontal reactions associated with long-term use of different types of (Årtun), 112
Riedel, Richard A., receives Northwestern University Distinguished Alumnus Award, 447
Root torque, effective, as function of edge bevel on orthodontic arch wires, variability of (Sebanc et al.), 43
Rotation, mandibular growth, prediction of, evaluated from longitudinal implant sample (Skieller, Björk, and Linde-Hansen), 359
prediction of, 86 (Abst.); (Baumrind, Korn, and West), 371

S

Sagittal discrepancies, severe, vertical control as important ingredient in treatment of (Fotis et al.), 224
Silane, direct bonding of orthodontic brackets to esthetic restorative materials using (Newman, Dressler, and Grenadier), 503
Skeletal assessment, individualized; quadrilateral analysis (Di Paolo et al.), 470
Skeletal assessment—Cont'd
type, facial type, and Angle classification occlusion in families, 86 (Abst.)
Smile, change your, 441 (B. rev.)
Soft tissue profile preference (De Smit and Dermaut), 67
visualization of; photocephalometry (Phillips et al.), 233
Speech, effects of orthognathic surgery on (Dalston and Vig), 291
Stomatognathic system, 170 (B. rev.)
psycho-emotional influence on function of, 520 (Abst.)
*Streptococcus mutans*, enhancement of: colonization by direct bonded orthodontic appliances, 262 (Abst.)
Suprahyoid muscle complex, adaptations within, after mandibular advancement, 85 (Abst.)
Surgery, mandibular, cephalometric and electromyographic investigation of patients treated for correction of mandibular prognathism by only, 350 (Abst.)
orthognathic, effects of, on speech (Dalston and Vig), 291
recognition of profile change after, 171 (Abst.)
Surgical exposure of impacted or unerupted teeth; clinical assessment of injuries in orthodontic movement of impacted teeth (Boyd), 407
orthodontic adult rapid palatal expansion, conservative (Glassman et al.), 207
orthodontics, differential diagnosis for, quadrilateral analysis (Di Paolo et al.), 470

T

Teeth, impacted, clinical assessment of injuries in orthodontic movement of (Boyd), 407
maxillary anterior, esthetic appearance of, effect of gingival contour and clinical crown length (Kokich, Nappen, and Shapiro), 89
Temporal, anterior, masseter, and orbicularis oris muscle activity, associations between, and craniofacial morphology in children (Lowe and Takada), 319
Temporomandibular apparatus, diseases of, 260 (B. rev.)
disorders and functional occlusion after orthodontic treatment (Sadowsky and Polson), 386
joint function, analysis by acoustic arthromodulography, 82 (Abst.)
histological analysis of, during late growth and maturity, 172 (Abst.)
internal derangements, histologic characterization of pathology in, 171 (Abst.)
of senior individuals, histopathological findings in, 81 (Abst.)
osteoarthrosis, disc perforation during erosion and repair in, 85 (Abst.)
pain and dysfunction, 520 (Abst.)
young adult, morphologic evaluation of, at autopsy, 172 (Abst.)
soft tissue thickness in temporal components of, 173 (Abst.)
Thumb sucking and pacifier use, influence of, on deciduous dentition, 521 (Abst.)
Titanium; osseous adaptation to continuous loading of rigid endosseous implants (Roberts et al.), 95
Tooth intrusion; gingival contour and clinical crown length: effect on esthetic appearance of maxillary anterior teeth (Kokich, Nappen, and Shapiro), 89
morphology and lower incisor alignment many years after orthodontic therapy (Puneky, Sadowsky, and BeGole), 299
movement into intrabony defects, periodontal response after, 443 (Abst.)
size; mandibular incisor dimensions and crowding (Gilmore and Little), 493
Toothbrush pressure; new oral hygiene strategy (White), 507
Torque, effective root, as function of edge bevel on orthodontic arch wires, variability of (Sebanc et al.), 43
Traction, cervical, treatment of children with ectopic eruption of maxillary first permanent molar by (Kurol and Bjerklin), 483

Transducer for measuring vertical force at occlusal level, 352 (Abst.)
Treatment Priority Index; epidemiologic transition in dental occlusion in world populations (Corruccini), 419
Trigeminal motor nucleus, masticatory movements and EMG activity following electrolytic lesions of, in growing guinea pigs (Byrd), 146
Twins, identical, with bilateral and unilateral clefts (Zilberman and Poulton), 14

V

Velopharyngeal function; effects of orthognathic surgery on speech (Dalston and Vig), 291
Vertical control as important ingredient in treatment of severe sagittal discrepancies (Fotis et al), 224

W

Wire, arch, triple-stranded stainless steel, elastic property ratios of (Kusy and Dilley), 177
ligature, retained, and periodontal health (Goldstein and Schpero), 315
orthodontic arch, force relaxation in (Hazel, Rohan, and West), 396
variability of effective root torque as function of edge bevel of (Sebanc et al.), 43